

UNITED STATES DEPARTMENT F COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT		ATTORNEY DOCKET NO.
08/896,8	321 07/18	3/97 QUAY	S	SNUS125

W. PATRICK BENGTSSON LIMBACH AND LIMBACH 2001 FERRY BUILDING SAN FRANCISCO CA 94111 HM42/0616

EXAMINER					
HOLLINDEN, G					
ART UNIT	PAPER NUMBER				
1616	6				

DATE MAILED:

06/16/98

Please find below a communication from the EXAMINER in charge of this application.

Please see attached sket

Commissioner of Patents

The communication filed on April 7, 1998 is non-responsive to the prior Office action because Applicant has failed to elect a single gas and a single shell material (see the paragraph bridging pages 2 and 3 of the restriction requirement). See 37 C.F.R. § 1.111. Since the response appears to be bona fide, Applicant is given one month or thirty days from the mailing date of this notice, whichever, is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 C.F.R. § 1.136(a).

Examiner Hollinden has moved to Art Unit 1616. Please include the new Art Unit number on all future correspondence as it will greatly expedite handling of papers.

Papers related to this application may be submitted to Group 1600 by facsimile transmission. Papers should be faxed to the Group 1600 fax machine at 703/308-4556. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30; November 15 1989.

Any inquiry concerning this Office Action or any earlier Office Actions in this application should be directed to Dr. Gary E. Hollinden whose telephone number is 703/308-4521. Dr. Hollinden's office hours are from 6:30 am to 3:00 pm, Monday through Friday.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is 703/308-1235.

Gary E. Hollinden, Ph.D.
Primary Examiner
Group 1616